

### AE árbol del té

1. Kairey L, Agnew T, Bowles EJ, Barkla BJ, Wardle J, Lauche R. Efficacy and safety of Melaleuca alternifolia (tea tree) oil for human health-A systematic review of randomized controlled trials. *Front Pharmacol* [Internet]. 2023;14:1116077. Disponible en: <http://dx.doi.org/10.3389/fphar.2023.1116077>
2. Tullio V, Roana J, Cavallo L, Mandras N. Immune defences: A view from the side of the essential oils. *Molecules* [Internet]. 2023;28(1):435. Disponible en: <http://dx.doi.org/10.3390/molecules28010435>
3. Nascimento T, Gomes D, Simões R, da Graça Miguel M. Tea tree oil: Properties and the therapeutic approach to acne-A review. *Antioxidants (Basel)* [Internet]. 2023;12(6). Disponible en: <http://dx.doi.org/10.3390/antiox12061264>
4. Malhi HK, Tu J, Riley TV, Kumarasinghe SP, Hammer KA. Tea tree oil gel for mild to moderate acne; a 12 week uncontrolled, open-label phase II pilot study. *Australas J Dermatol* [Internet]. 2017;58(3):205-10. Disponible en: <http://dx.doi.org/10.1111/ajd.12465>
5. Singh N, Puzhankara L, Kedlaya MN, Ramanarayanan V. Effectiveness of tea tree oil versus chlorhexidine in the treatment of periodontal diseases: a systematic review. *Evid Based Dent* [Internet]. 2022; Disponible en: <http://dx.doi.org/10.1038/s41432-022-0259-6>
6. Machorowska-Pieniżek A, Morawiec T, Olek M, Mertas A, Aebischer D, Bartusik-Aebischer D, et al. Advantages of using toothpaste containing propolis and plant oils for gingivitis prevention and oral cavity hygiene in cleft lip/palate patients. *Biomed Pharmacother* [Internet]. 2021;142(111992):111992. Disponible en: <http://dx.doi.org/10.1016/j.biopha.2021.111992>
7. Greive KA, Barnes TM. The efficacy of Australian essential oils for the treatment of head lice infestation in children: A randomised controlled trial. *Australas J Dermatol* [Internet]. 2018;59(2):e99-105. Disponible en: <http://dx.doi.org/10.1111/ajd.12626>
8. Youn B-H, Kim Y-S, Yoo S, Hur M-H. Antimicrobial and hand hygiene effects of Tea Tree Essential Oil disinfectant: A randomised control trial. *Int J Clin Pract* [Internet]. 2021;75(8):e14206. Disponible en: <http://dx.doi.org/10.1111/ijcp.14206>
9. Aghaei H, Torabi B, Abdolalizadeh P, Vaghfipanah H. Comparison of the effect of tea tree oil eye gel with standard treatment in patients with anterior blepharitis: An open-label clinical trial. *Indian J Ophthalmol* [Internet]. 2023;71(5):2188-92. Disponible en: [http://dx.doi.org/10.4103/IJO.IJO\\_2546\\_22](http://dx.doi.org/10.4103/IJO.IJO_2546_22)

### AE Bergamota

1. Chen M-L, Chen Y-E, Lee H-F. The effect of bergamot essential oil aromatherapy on improving depressive mood and sleep quality in postpartum women: A randomized controlled trial: A randomized controlled trial. *J Nurs Res* [Internet]. 2022;30(2):e201. Disponible en: <http://dx.doi.org/10.1097/jnr.0000000000000459>
2. Adoriso S, Muscari I, Fierabracci A, Thi Thuy T, Marchetti MC, Ayroldi E, et al. Biological effects of bergamot and its potential therapeutic use as an anti-inflammatory, antioxidant, and anticancer agent. *Pharm Biol* [Internet]. 2023;61(1):639-46. Disponible en: <http://dx.doi.org/10.1080/13880209.2023.2197010>
3. Pasyar N, Rambod M, Araghi F. The effect of bergamot orange essence on anxiety, salivary cortisol, and alpha amylase in patients prior to laparoscopic cholecystectomy: A controlled trial study. *Complement Ther Clin Pract* [Internet]. 2020;39(101153):101153.

### AE cardamomo

1. Ashokkumar K, Murugan M, Dhanya MK, Warkentin TD. Botany, traditional uses, phytochemistry and biological activities of cardamom [*Elettaria cardamomum* (L.) Maton] - A critical review. *J Ethnopharmacol* [Internet]. 2020;246(112244):112244. Disponible en: <http://dx.doi.org/10.1016/j.jep.2019.112244>
2. Traditional, phytochemical and biological activities of *Elettaria cardamomum* (L.) Maton- a review [Internet]. Vol. 12. *International Journal of Pharmaceutical Sciences and Research*; 2021. Disponible en: [http://dx.doi.org/10.13040/ijpsr.0975-8232.12\(8\).4122-31](http://dx.doi.org/10.13040/ijpsr.0975-8232.12(8).4122-31)
3. Saren SA. Cardamomo [Internet]. *Fitoterapia.net*. [citado 23 de junio de 2023]. Disponible en: <https://www.fitoterapia.net/vademecum/plantas/cardamomo.html>

### Ciprés de provenza

1. Franchomme P. *Le répertoire complet des huiles essentielles médicinales*. 19, rue Saint-Séverin: GuyTrédaniel; 2022.
2. Saren SA. Ciprés [Internet]. *Fitoterapia.net*. [citado 23 de junio de 2023]. Disponible en: <https://www.fitoterapia.net/vademecum/plantas/cipres.html>
3. Medical importance of *Cupressus sepervirens*- A review. *IOSR Journal Of Pharmacy*. Vol. 5 Issue 6 Version. 2 (2016)

### Citronela de java

1. Andila PS, Hendra IPA, Wardani PK, Tirta IG, Sutomo S, Fardenan D. The phytochemistry of *Cymbopogon winterianus* essential oil from Lombok Island, Indonesia and its antifungal activity against phytopathogenic fungi. *Nusant Biosci* [Internet]. 2018;10(4):232-9. Disponible en: <http://dx.doi.org/10.13057/nusbiosci/n100406>
2. Wany A, Jha S, Nigam VK, Pandey DM. Chemical analysis and therapeutic uses of citronella oil from *Cymbopogon winterianus*: A short review. *Int J Adv Res*. 2013;1:504-21.
3. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

### AE de clavo

1. Daniel AN, Sartoretto SM, Schmidt G, Caparroz-Assef SM, Bersani-Amado CA, Cuman RKN. Anti-inflammatory and antinociceptive activities A of eugenol essential oil in experimental animal models. *Rev Bras Farmacogn* [Internet]. 2009;19(1b):212-7. Disponible en: <http://dx.doi.org/10.1590/s0102-695x2009000200006>
2. Essential oils in treatment and management of dental diseases. *Biointerface Res Appl Chem* [Internet]. 2021;12(6):7267-86. Disponible en: <http://dx.doi.org/10.33263/briac126.72677286>
3. SJ Pulikottil SN. Potential of clove of *Syzygium aromaticum* in development of a therapeutic agent for periodontal disease. *SADJ* April 2015, Vol 70 no 3 p108 - p115;
4. Fujimoto RY, Pereira DM, Silva JCS, de Oliveira LCA, Inoue LAKA, Hamoy M, et al. Clove oil induces anaesthesia and blunts muscle contraction power in three Amazon fish species. *Fish Physiol Biochem* [Internet]. 2018;44(1):245-56. Disponible en: <http://dx.doi.org/10.1007/s10695-017-0430-8>
5. European Scientific Cooperative on Phytotherapy. ESCOP monographs The Scientific Foundation for Herbal Medicinal Products. Online series. *Caryophylli aetheroleum* (Clove oil). Exeter: ESCOP; 2014.
6. European Scientific Cooperative on Phytotherapy. ESCOP monographs The Scientific Foundation for Herbal Medicinal Products. Online series. *Caryophylli aetheroleum* (Clove oil). Exeter: ESCOP; 2014.
7. Nuñez L, Aquino MD. Microbicide activity of clove essential oil (*Eugenia caryophyllata*). *Braz J Microbiol* [Internet]. 2012;43(4):1255-60. Disponible en: <http://dx.doi.org/10.1590/S1517-83822012000400003>

### AE espliego macho

1. Cavanagh HMA, Wilkinson JM. Biological activities of lavender essential oil. *Phytother Res* [Internet]. 2002;16(4):301-8. Disponible en: <http://dx.doi.org/10.1002/ptr.1103>
2. Carrasco A, Martínez-Gutiérrez R, Tomás V, Tudela J. Erratum for: *Lavandula angustifolia* and *Lavandula latifolia* Essential Oils from Spain: Aromatic Profile and Bioactivities. *Planta Med* [Internet]. 2016;82(1-02):E4. Disponible en: <http://dx.doi.org/10.1055/s-0035-1558195>
3. Prall S, Bowles EJ, Bennett K, Cooke CG, Agnew T, Steel A, et al. Effects of essential oils on symptoms and course (duration and severity) of viral respiratory infections in humans: A rapid review. *Adv Integr Med* [Internet]. 2020;7(4):218-21. Disponible en: <http://dx.doi.org/10.1016/j.aimed.2020.07.005>

### AE eucalipto radiata

1. Mulyaningsih S, Sporer F, Reichling J, Wink M. Antibacterial activity of essential oils from *Eucalyptus* and of selected components against multidrug-resistant bacterial pathogens. *Pharm Biol* [Internet]. 2011;49(9):893-9. Disponible en: <http://dx.doi.org/10.3109/13880209.2011.553625>
2. Mieres-Castro D, Ahmar S, Shabbir R, Mora-Poblete F. Antiviral activities of *Eucalyptus* essential oils: Their effectiveness as therapeutic targets against human viruses. *Pharmaceuticals (Basel)* [Internet]. 2021;14(12):1210. Disponible en: <http://dx.doi.org/10.3390/ph14121210>
3. Chemical composition and antimicrobial activity of *Eucalyptus radiata* leaf essential oil.
4. Elangovan S, Mudgil P. Antibacterial properties of *Eucalyptus globulus* essential oil against MRSA: A systematic review. *Antibiotics (Basel)* [Internet]. 2023;12(3). Disponible en: <http://dx.doi.org/10.3390/antibiotics12030474>
5. Europa.eu. 2013 [citado 26 de junio de 2023]. Disponible en: [https://www.ema.europa.eu/en/documents/herbal-monograph/-draft-community-herbal-monograph-eucalyptus-globulus-labill-eucalyptus-polybractea-rt-baker/eucalyptus-smith-ii-rt-baker-aetheroleum\\_en.pdf](https://www.ema.europa.eu/en/documents/herbal-monograph/-draft-community-herbal-monograph-eucalyptus-globulus-labill-eucalyptus-polybractea-rt-baker/eucalyptus-smith-ii-rt-baker-aetheroleum_en.pdf)

### AE de gaulteria

1. Tanabe H, Doi T, Akai M, Fujino K, Arai S, Hayashi K. Effect and usability of anti-inflammatory drug plasters for knee osteoarthritis: A crossover, double-blind, repeated measures, randomized controlled trial. *J Orthop Sci* [Internet]. 2021;26(3):421-9. Disponible en: <http://dx.doi.org/10.1016/j.jos.2020.04.014>
2. AEMPS. FN/2003/PA/032 SALICILATO DE METILO. Ministerio de Sanidad, Consumo y Bienestar Social; 2019.
3. Yu S, Kim B-K, Wang H, Zhou J, Wan Q, Yu T, et al. A phase 3, randomised, placebo-controlled study of erenumab for the prevention of chronic migraine in patients from Asia: the DRAGON study. *J Headache Pain* [Internet]. 2022;23(1):146. Disponible en: <http://dx.doi.org/10.1186/s10194-022-01514-9>
4. Jurca T, Józsa L, Suciú R, Pallag A, Marian E, Bácskay I, et al. Formulation of topical dosage forms containing synthetic and natural anti-inflammatory agents for the treatment of rheumatoid arthritis. *Molecules* [Internet]. 2020;26(1):24. Disponible en: <http://dx.doi.org/10.3390/molecules26010024>
5. Ojha PK, Poudel DK, Dangol S, Rokaya A, Timsina S, Satyal P, et al. Volatile constituent analysis of wintergreen essential oil and comparison with synthetic methyl salicylate for authentication

### AE geranio

1. D'Ami AM, Soković MD, Ristić MS, Grujić SM, Mileski KS, Marin PD. Chemical composition, antifungal and antioxidant activity of *Pelargonium graveolens* essential oil. *J Appl Pharm Sci* [Internet]. 2014;1-05. Disponible en: <http://dx.doi.org/10.7324/japs.2014.40301>
2. Páez X, Hernández L. Topical hemostatic effect of a common ornamental plant, the geraniaceae *Pelargonium zonale*. *J Clin Pharmacol* [Internet]. 2003;43(3):291-5. Disponible en: <http://dx.doi.org/10.1177/0091270002251019>
3. Mahboubi M, Taghizadeh M, Khamechian T, Tamtaji OR, Mokhtari R, Talaei SA. The wound healing effects of herbal cream containing *Oliveria decumbens* and *Pelargonium graveolens* essential oils in diabetic foot ulcer model. *World J Plast Surg*. 2018;7(1):45-50.
4. Ralambondrainy M, Belarbi E, Viranaicken W, Baranauskienė R, Venskutonis PR, Desprès P, et al. In vitro comparison of three common essential oils mosquito repellents as inhibitors of the Ross River virus. *PLoS One* [Internet]. 2018;13(5):e0196757. Disponible en: <http://dx.doi.org/10.1371/journal.pone.0196757>
5. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

### AE de incienso

1. Hawkins J, Hires C, Keenan L, Dunne E. Aromatherapy blend of thyme, orange, clove bud, and frankincense boosts energy levels in post-COVID-19 female patients: A randomized, double-blinded, placebo controlled clinical trial. *Complement Ther Med* [Internet]. 2022;67(102823):102823. Disponible en: <http://dx.doi.org/10.1016/j.ctim.2022.102823>
2. Dyer J, Cleary L, McNeill S, Ragsdale-Lowe M, Osland C. The use of aromasticks to help with sleep problems: A patient experience survey. *Complement Ther Clin Pract* [Internet]. 2016;22:51-8. Disponible en: <http://dx.doi.org/10.1016/j.ctcp.2015.12.006>
3. Chang SY. Effects of aroma hand massage on pain, state anxiety and depression in hospice patients with terminal cancer. *Taehan Kanho Hakhoe Chi* [Internet]. 2008;38(4):493-502. Disponible en: <http://dx.doi.org/10.4040/jkan.2008.38.4.493>
4. Han X, Rodriguez D, Parker TL. Biological activities of frankincense essential oil in human dermal fibroblasts. *Biochim Open* [Internet]. 2017;4:31-5. Disponible en: <http://dx.doi.org/10.1016/j.biopen.2017.01.003>
5. Price L, Price S. *Aromatherapy for health professionals*. 3.a ed. Londres, Inglaterra: Churchill Livingstone; 2006.
6. Mikhaeil BR, Maatooq GT, Badria FA, Amer MMA. Chemistry and immunomodulatory activity of frankincense oil. *Z Naturforsch C* [Internet]. 2003;58(3-4):230-8. Disponible en: <http://dx.doi.org/10.1515/znc-2003-3-416>

### AE jengibre

1. Lua PL, Salihah N, Mazlan N. Effects of inhaled ginger aromatherapy on chemotherapy-induced nausea and vomiting and health-related quality of life in women with breast cancer. *Complement Ther Med* [Internet]. 2015;23(3):396-404. Disponible en: <http://dx.doi.org/10.1016/j.ctim.2015.03.009>
2. Karaman S, Karaman T, Tapar H, Dogru S, Suren M. A randomized placebo-controlled study of aromatherapy for the treatment of postoperative nausea and vomiting. *Complement Ther Med* [Internet]. 2019;42:417-21. Disponible en: <http://dx.doi.org/10.1016/j.ctim.2018.12.019>
3. Nassif MS, Costa ICP, Ribeiro PM, Moura C de C, Oliveira PE de. Integrative and complementary practices to control nausea and vomiting in pregnant women: a systematic review. *Rev Esc Enferm USP* [Internet]. 2022;56:e20210515. Disponible en: <http://dx.doi.org/10.1590/1980-220X-REEUSP-2021-0515en>

4. Angarita-Navarro AM, Casas-Cárdenas PD, López-Aguirre JP. Uso de aromaterapia en gestantes: una revisión de la literatura. *Rev Cienc Cuid* [Internet]. 2022;19(1):X-X. Disponible en: <http://dx.doi.org/10.22463/17949831.3092>
5. Yonni Siwi RP, Retnaningtyas E, Wulandari A, Jayati LD. The effectiveness of Ginger Oil Aromatherapy and Lemon Oil aromatherapy on reducing Emesis gravidarum in pregnant women. *midwifery* [Internet]. 2022;10(5):4109-15. Disponible en: <http://dx.doi.org/10.35335/midwifery.v10i5.992>
6. Aydinli A, Karadağ S. Effects of abdominal massage applied with ginger and lavender oil for elderly with constipation: A randomized controlled trial. *Explore (NY)* [Internet]. 2023;19(1):115-20. Disponible en: <http://dx.doi.org/10.1016/j.explore.2022.08.010>
7. Pehlivan S, Karadakovan A. Effects of aromatherapy massage on pain, functional state, and quality of life in an elderly individual with knee osteoarthritis. *Jpn J Nurs Sci* [Internet]. 2019;16(4):450-8. Disponible en: <http://dx.doi.org/10.1111/jjns.12254>
8. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

### AE laurel

1. Caputo L, Nazzaro F, Souza LF, Aliberti L, De Martino L, Fratianni F, et al. *Laurus nobilis*: Composition of essential oil and its biological activities. *Molecules* [Internet]. 2017;22(6). Disponible en: <http://dx.doi.org/10.3390/molecules22060930>
2. Price L, Price S. *Aromatherapy for health professionals*. 3.a ed. Londres, Inglaterra: Churchill Livingstone; 2006.
3. Brinza I, Boiangiu RS, Hancianu M, Cioanca O, Erdogan Orhan I, Hritcu L. Bay leaf (*Laurus nobilis* L.) incense improved scopolamine-induced amnesic rats by restoring cholinergic dysfunction and brain antioxidant status. *Antioxidants (Basel)* [Internet]. 2021;10(2):259. Disponible en: <http://dx.doi.org/10.3390/antiox10020259>

### AE lavanda oficial

1. Wang D, Yuan X, Liu T, Liu L, Hu Y, Wang Z, et al. Neuroprotective activity of lavender oil on transient focal cerebral ischemia in mice. *Molecules* [Internet]. 2012;17(8):9803-17. Disponible en: <http://dx.doi.org/10.3390/molecules17089803>
2. Hancianu M, Cioanca O, Mihasan M, Hritcu L. Neuroprotective effects of inhaled lavender oil on scopolamine-induced dementia via anti-oxidative activities in rats. *Phytomedicine* [Internet]. 2013;20(5):446-52. Disponible en: <http://dx.doi.org/10.1016/j.phymed.2012.12.005>
3. Sadeghzadeh J, Vakili A, Bandegi AR, Sameni HR, Zahedi Khorasani M, Darabian M. Lavandula reduces heart injury via attenuating tumor necrosis factor-alpha and oxidative stress in A rat model of infarct-like myocardial injury. *Cell J* [Internet]. 2017;19(1):84-93. Disponible en: <http://dx.doi.org/10.22074/cellj.2016.4148>
4. Altaei DT. Topical lavender oil for the treatment of recurrent aphthous ulceration. *Am J Dent*. 2012;25(1):39-43.
5. Vakilian K, Atarha M, Bekhradi R, Chaman R. Healing advantages of lavender essential oil during episiotomy recovery: a clinical trial. *Complement Ther Clin Pract* [Internet]. 2011;17(1):50-3. Disponible en: <http://dx.doi.org/10.1016/j.ctcp.2010.05.006>
6. Nascimento AS do, Tamiasso RSS, Morais SFM, Rizzo Gnatta J, Turrini RNT, Calache ALSC, et al. Essential oils for healing and/or preventing infection of surgical wounds: a systematic review. *Rev Esc Enferm USP* [Internet]. 2022;56(spe):e20210442. Disponible en: <http://dx.doi.org/10.1590/1980-220X-REEUSP-2021-0442en>
7. Ardahan Akgül E, Karakul A, Altın A, Doğan P, Hoşgör M, Oral A. Effectiveness of lavender inhalation aromatherapy on pain level and vital signs in children with burns: a randomized controlled trial. *Complement Ther Med* [Internet]. 2021;60(102758):102758. Disponible en: <http://dx.doi.org/10.1016/j.ctim.2021.102758>

8. Salmonson T. Pharmacokinetic and pharmacodynamic studies on recombinant human erythropoietin. *Scand J Urol Nephrol Suppl.* 1990;129:1-66.
9. Kwiatkowski P, Łopusiewicz Ł, Kostek M, Drożłowska E, Pruss A, Wojciuk B, et al. The antibacterial activity of lavender essential oil alone and in combination with octenidine dihydrochloride against MRSA strains. *Molecules* [Internet]. 2019;25(1):95. Disponible en: <http://dx.doi.org/10.3390/molecules25010095>
10. Kasper S. An orally administered lavandula oil preparation (Silexan) for anxiety disorder and related conditions: an evidence based review. *Int J Psychiatry Clin Pract* [Internet]. 2013;17 Suppl 1(sup1):15-22. Disponible en: <http://dx.doi.org/10.3109/13651501.2013.813555>
11. Ko, L.-W., Su, C.-H., Yang, M.-H., Liu, S.-Y., & Su, T.-P. (2021). A pilot study on essential oil aroma stimulation for enhancing slow-wave EEG in sleeping brain. *Scientific Reports*, 11(1), 1078. doi:10.1038/s41598-020-80171-x
12. Her J, Cho M-K. Effect of aromatherapy on sleep quality of adults and elderly people: A systematic literature review and meta-analysis. *Complement Ther Med* [Internet]. 2021;60(102739):102739. Disponible en: <http://dx.doi.org/10.1016/j.ctim.2021.102739>
13. Chioca LR, Ferro MM, Baretta IP, Oliveira SM, Silva CR, Ferreira J, et al. Anxiolytic-like effect of lavender essential oil inhalation in mice: participation of serotonergic but not GABAA/benzodiazepine neurotransmission. *J Ethnopharmacol* [Internet]. 2013;147(2):412-8. Disponible en: <http://dx.doi.org/10.1016/j.jep.2013.03.028>
14. Song J-A, Yang H. Fatigue relief by aromatherapy use in prenatal and postnatal women: a systematic review and meta-analysis. *Korean J Women Health Nurs* [Internet]. 2022;28(2):87-99. Disponible en: <http://dx.doi.org/10.4069/kjwhn.2022.05.15>

## AE Limón

1. Pérez-Rosés R, Risco E, Vila R, Peñalver P, Cañigueral S. Effect of some essential oils on phagocytosis and complement system activity. *J Agric Food Chem* [Internet]. 2015;63(5):1496-504. Disponible en: <http://dx.doi.org/10.1021/jf504761m>
2. Viuda-Martos M, Ruiz-Navajas Y, Fernández-López J, Perez-Álvarez J. Antibacterial activity of lemon (citrus lemon L.), mandarin (citrus reticulata L.), grapefruit (citrus paradisi L.) and orange (citrus sinensis L.) essential oils: Lemon, mandarin and orange essential oils. *J Food Saf* [Internet]. 2008;28(4):567-76. Disponible en: <http://dx.doi.org/10.1111/j.1745-4565.2008.00131.x>
3. Klimek-Szczykutowicz M, Szopa A, Ekiert H. Citrus limon (lemon) phenomenon-A review of the chemistry, pharmacological properties, applications in the modern pharmaceutical, food, and cosmetics industries, and biotechnological studies. *Plants* [Internet]. 2020;9(1):119. Disponible en: <http://dx.doi.org/10.3390/plants9010119>
4. Dyer J, Cleary L, Ragsdale-Lowe M, McNeill S, Osland C. The use of aromasticks at a cancer centre: a retrospective audit. *Complement Ther Clin Pract* [Internet]. 2014;20(4):203-6. Disponible en: <http://dx.doi.org/10.1016/j.ctcp.2013.11.006>
5. Yavari Kia P, Safajou F, Shahnazi M, Nazemiyeh H. The effect of lemon inhalation aromatherapy on nausea and vomiting of pregnancy: a double-blinded, randomized, controlled clinical trial. *Iran Red Crescent Med J* [Internet]. 2014;16(3):e14360. Disponible en: <http://dx.doi.org/10.5812/ircmj.14360>
6. Özer Z, Teke N, Turan GB, Bahçecik AN. Effectiveness of lemon essential oil in reducing test anxiety in nursing students. *Explore (NY)* [Internet]. 2022;18(5):526-32. Disponible en: <http://dx.doi.org/10.1016/j.explore.2022.02.003>

7. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

#### **AE mandarina**

1. Dyer J, Cleary L, McNeill S, Ragsdale-Lowe M, Osland C. The use of aromasticks to help with sleep problems: A patient experience survey. *Complement Ther Clin Pract* [Internet]. 2016;22:51-8. Disponible en: <http://dx.doi.org/10.1016/j.ctcp.2015.12.006>
2. Johnson JR, Rivard RL, Griffin KH, Kolste AK, Joswiak D, Kinney ME, et al. The effectiveness of nurse-delivered aromatherapy in an acute care setting. *Complement Ther Med* [Internet]. 2016;25:164-9. Disponible en: <http://dx.doi.org/10.1016/j.ctim.2016.03.006>
3. Tabatabaeichehr M, Mortazavi H. The effectiveness of aromatherapy in the management of labor pain and anxiety: A systematic review. *Ethiop J Health Sci* [Internet]. 2020;30(3):449-58. Disponible en: <http://dx.doi.org/10.4314/ejhs.v30i3.16>
4. Franchomme P, Jollois R, Péroël D. *L'Aromathérapie exactement*. Editions Roger Jollois. 2001;236.

#### **AE mejorana**

1. Son HK, So W-Y, Kim M. Effects of aromatherapy combined with music therapy on anxiety, stress, and fundamental nursing skills in nursing students: A randomized controlled trial. *Int J Environ Res Public Health* [Internet]. 2019;16(21):4185. Disponible en: <http://dx.doi.org/10.3390/ijerph16214185>
2. Price L, Price S. *Aromatherapy for health professionals*. 3.a ed. Londres, Inglaterra: Churchill Livingstone; 2006.
3. Negin Manouchehri, Saeid Abbasi-Maleki, Zahra Mousavi. Comparison of the Anxiolytic and Hypnotic Effects of *Origanum majorana* Essential Oil and Alprazolam. *Herbal Medicines Journal*; 2019
4. Ou M-C, Lee Y-F, Li C-C, Wu S-K. The effectiveness of essential oils for patients with neck pain: a randomized controlled study. *J Altern Complement Med* [Internet]. 2014;20(10):771-9. Disponible en: <http://dx.doi.org/10.1089/acm.2013.0453>
5. Bina F, Rahimi R. Sweet marjoram: A review of ethnopharmacology, phytochemistry, and biological activities: A review of ethnopharmacology, phytochemistry, and biological activities. *J Evid Based Complementary Altern Med* [Internet]. 2017;22(1):175-85. Disponible en: <http://dx.doi.org/10.1177/2156587216650793>
6. Ou M-C, Hsu T-F, Lai AC, Lin Y-T, Lin C-C. Pain relief assessment by aromatic essential oil massage on outpatients with primary dysmenorrhea: a randomized, double-blind clinical trial: PD pain relief by aromatic oil massage. *J Obstet Gynaecol Res* [Internet]. 2012;38(5):817-22. Disponible en: <http://dx.doi.org/10.1111/j.1447-0756.2011.01802.x>
7. Haj-Husein I, Tukan S, Alkazaleh F. The effect of marjoram (*Origanum majorana*) tea on the hormonal profile of women with polycystic ovary syndrome: a randomised controlled pilot study. *J Hum Nutr Diet* [Internet]. 2016;29(1):105-11. Disponible en: <http://dx.doi.org/10.1111/jhn.12290>

#### **AE de menta de campo**

- Silva H. Current knowledge on the vascular effects of menthol. *Front Physiol* [Internet]. 2020;11:298. Disponible en: <http://dx.doi.org/10.3389/fphys.2020.00298>
- Hamsa., Aishwarya, Roopa, Kumar R, Dr B, Syed AA. A contemporary review on pharmacognosy and pharmacological activities of *mentha arvensis*. *Int J Pharm Chem* [Internet]. 2022;107-12. Disponible en: <http://dx.doi.org/10.46796/ijpc.v3i3.344>

Li Z, Zhang H, Wang Y, Li Y, Li Q, Zhang L. The distinctive role of menthol in pain and analgesia: Mechanisms, practices, and advances. *Front Mol Neurosci* [Internet]. 2022;15:1006908. Disponible en: <http://dx.doi.org/10.3389/fnmol.2022.1006908>

Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

4.Karaca N, Şener G, Demirci B, Demirci F. Synergistic antibacterial combination of *Lavandula latifolia* Medik. essential oil with camphor. *Z Naturforsch C* [Internet]. 2021;76(3-4):169-73. Disponible en: <http://dx.doi.org/10.1515/znc-2020-0051>

### AE manzanilla romana

1. Phytochemical composition, and analgesic and antiinflammatory properties of essential oil of *Chamaemelum nobile* (Asteraceae L All) in rodents.

2.Sándor Z, Mottaghipisheh J, Veres K, Hohmann J, Bencsik T, Horváth A, et al. Evidence supports tradition: The in vitro effects of Roman chamomile on smooth muscles. *Front Pharmacol* [Internet]. 2018;9. Disponible en: <http://dx.doi.org/10.3389/fphar.2018.00323>

3.The palliation of nausea in hospice and palliative care patients with essential oils of *Pimpinella anisum* (aniseed), *Foeniculum vulgare* var. dulce (sweet fennel). En: *Anthemis nobilis* (Roman chamomile) and *Mentha x piperita*.

4.Wilkinson S, Aldridge J, Salmon I, Cain E, Wilson B. An evaluation of aromatherapy massage in palliative care. *Palliat Med* [Internet]. 1999;13(5):409-17. Disponible en: <http://dx.doi.org/10.1191/026921699678148345>

5.Silveira V, Santos Rubio KT, Poleti Martucci ME. Anxiolytic effect of *Anthemis nobilis* L. (roman chamomile) and *Citrus reticulata* Blanco (tangerine) essential oils using the light-dark test in zebrafish (*Danio rerio*). *J Ethnopharmacol* [Internet]. 2022;298(115580):115580. Disponible en: <http://dx.doi.org/10.1016/j.jep.2022.115580>

### AE menta piperita

1.Göbel H, Fresenius J, Heinze A, Dworschak M, Soyka D. Effectiveness of *Oleum menthae piperitae* and paracetamol in therapy of headache of the tension type. *Nervenarzt* [Internet]. 1996;67(8):672-81. Disponible en: <http://dx.doi.org/10.1007/s001150050040>

2.Draft – Revision. European Union herbal monograph on *Mentha x piperita* L., aetheroleum [Internet]. Europa.eu. [citado 27 de junio de 2023]. Disponible en: [https://www.ema.europa.eu/en/documents/herbal-monograph/draft-european-union-herbal-monograph-mentha-x-piperita-l-aetheroleum-revision-1\\_en.pdf](https://www.ema.europa.eu/en/documents/herbal-monograph/draft-european-union-herbal-monograph-mentha-x-piperita-l-aetheroleum-revision-1_en.pdf)

3.Göbel H, Heinze A, Heinze-Kuhn K, Göbel A, Göbel C. *Oleum menthae piperitae* (Pfefferminzöl) in der Akuttherapie des Kopfschmerzes vom Spannungstyp. *Schmerz* [Internet]. 2016;30(3):295-310. Disponible en: <http://dx.doi.org/10.1007/s00482-016-0109-6>

4.Maghani M, Afazel MR, Azizi-Fini I, Maghami M. The effect of aromatherapy with peppermint essential oil on nausea and vomiting after cardiac surgery: A randomized clinical trial. *Complement Ther Clin Pract* [Internet]. 2020;40(101199):101199. Disponible en: <http://dx.doi.org/10.1016/j.ctcp.2020.101199>

5.Mahendran G, Rahman L-U. Ethnomedicinal, phytochemical and pharmacological updates on Peppermint (*Mentha x piperita* L.)-A review. *Phytother Res* [Internet]. 2020;34(9):2088-139. Disponible en: <http://dx.doi.org/10.1002/ptr.6664>

6. Price L, Price S. *Aromatherapy for health professionals*. 3.a ed. Londres, Inglaterra: Churchill Livingstone; 2006.



### AE de niaulí

1. Sarenet SA. Niauli [Internet]. Fitoterapia.net. [citado 27 de junio de 2023]. Disponible en: <https://www.fitoterapia.net/vademecum/plantas/niauli.html>
2. International journal of current research in chemistry and pharmaceutical sciences. Darshan Publishers; 2016.
3. Goetz P, Ghedira K. Melaleuca quinquenervia (Cav.) S.T. Blake (Myrtaceae): Niaouli. En: Collection Phytothérapie Pratique. Paris: Springer Paris; 2012. p. 321-6.
4. Price L, Price S. Aromatherapy for health professionals. 3.a ed. Londres, Inglaterra: Churchill Livingstone; 2006.
5. Giraud-Robert A-M. L'huile essentielle de niaouli (Melaleuca quinquenervia) dans la prévention des radiormites du cancer du sein. Phytothérapie [Internet]. 2004;2(3). Disponible en: <http://dx.doi.org/10.1007/s10298-004-0023->

### AE ravintsara

1. Lee S-H, Kim D-S, Park S-H, Park H. Phytochemistry and Applications of Cinnamomum camphora Essential Oils. Molecules [Internet]. 2022;27(9):2695. Disponible en: <http://dx.doi.org/10.3390/molecules27092695>
  2. Chen J, Tang C, Zhou Y, Zhang R, Ye S, Zhao Z, et al. Anti-inflammatory property of the essential oil from Cinnamomum camphora (Linn.) Presl leaves and the evaluation of its underlying mechanism by using metabolomics analysis. Molecules [Internet]. 2020;25(20):4796. Disponible en: <http://dx.doi.org/10.3390/molecules25204796>
  3. Antioxidant, AntiInflammatory, and Other Pharmacological Activities of Cinnamomum camphora Linn. Current Insights on Bioactive Molecules.
  4. Kim KY, Seo HJ, Min SS, Park M, Seol GH. The effect of 1,8-cineole inhalation on preoperative anxiety: a randomized clinical trial. Evid Based Complement Alternat Med [Internet]. 2014;2014:820126. Disponible en: <http://dx.doi.org/10.1155/2014/820126>
- Faucon M. Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription. 2019.

### AE de palmarosa

1. Faucon M. Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription. 2019.
2. Franchomme P, Pénoël D. Encyclopédie de l'utilisation thérapeutique des huiles essentielles. 1990.
4. Festy, D. Mi biblia de los aceites esenciales. Medici; 2016

### AE de petitgrain

1. Karimzadeh Z, Azizzadeh Forouzi M, Rahiminezhad E, Ahmadinejad M, Dehghan M. The effects of lavender and Citrus aurantium on anxiety and agitation of the conscious patients in intensive care units: A parallel randomized placebo-controlled trial. Biomed Res Int [Internet]. 2021;2021:5565956. Disponible en: <http://dx.doi.org/10.1155/2021/5565956>
2. Huang L, Capdevila L. Aromatherapy improves work performance through balancing the autonomic nervous system. J Altern Complement Med [Internet]. 2017;23(3):214-21. Disponible en: <http://dx.doi.org/10.1089/acm.2016.0061>

3. Mohammadpourhodki R, Sadeghnezhad H, Ebrahimi H, Basirinezhad MH, Maleki M, Bossola M. The effect of aromatherapy massage with Lavender and Citrus Aurantium essential oil on quality of life of patients on chronic hemodialysis: A parallel randomized clinical trial study. *J Pain Symptom Manage* [Internet]. 2021;61(3):456-463.e1. Disponible en: <http://dx.doi.org/10.1016/j.jpainsymman.2020.08.032>
4. Wang Z-J, Heinbockel T. Essential oils and their constituents targeting the GABAergic system and sodium channels as treatment of neurological diseases. *Molecules* [Internet]. 2018;23(5). Disponible en: <http://dx.doi.org/10.3390/molecules23051061>
5. Abbaspoor Z, Siahposh A, Javadifar N, Faal Siahkal S, Mohaghegh Z, Sharifipour F. The effect of Citrus aurantium aroma on the sleep quality in postmenopausal women: A randomized controlled trial. *Int J Community Based Nurs Midwifery* [Internet]. 2022;10(2):86-95. Disponible en: <http://dx.doi.org/10.30476/IJCBN-M.2021.90322.1693>
6. Mohammadi F, Moradi M, Niazi A, Jamali J. The impact of aromatherapy with Citrus aurantium essential oil on sleep quality in pregnant women with sleep disorders: A randomized controlled clinical trial. *Int J Community Based Nurs Midwifery* [Internet]. 2022;10(3):160-71. Disponible en: <http://dx.doi.org/10.30476/IJCBN-M.2022.92696.1900>
7. Sharifipour F, Heydarpour S, Salari N. Comparison of aromatherapy with Citrus aurantium and Lavender on sexual satisfaction in breastfeeding women: A randomized controlled trial. *Breastfeed Med* [Internet]. 2023;18(1):23-9. Disponible en: <http://dx.doi.org/10.1089/bfm.2022.0179>

### **AE pino silvestre**

1. Sarenat SA. Pino [Internet]. *Fitoterapia.net*. [citado 28 de junio de 2023]. Disponible en: <https://www.fitoterapia.net/vademecum/plantas/pino.html>
2. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.
3. Price L, Price S. *Aromatherapy for health professionals*. 3.a ed. Londres, Inglaterra: Churchill Livingstone; 2006
4. Zhao Z-J, Sun Y-L, Ruan X-F. Bornyl acetate: A promising agent in phytomedicine for inflammation and immune modulation. *Phytomedicine* [Internet]. 2023;114(154781):154781. Disponible en: <http://dx.doi.org/10.1016/j.phy-med.2023.154781>

### **AE romero alcanfor**

1. Borges RS, Ortiz BLS, Pereira ACM, Keita H, Carvalho JCT. Rosmarinus officinalis essential oil: A review of its phytochemistry, anti-inflammatory activity, and mechanisms of action involved. *J Ethnopharmacol* [Internet]. 2019;229:29-45. Disponible en: <http://dx.doi.org/10.1016/j.jep.2018.09.038>
2. Vagedes J, Henes J, Deckers B, Vagedes K, Kuderer S, Helmert E, et al. Topical Rosmarinus officinalis L. in systemic sclerosis-related Raynaud's phenomenon: An open-label pilot study. *Complement Med Res* [Internet]. 2022;29(3):242-8. Disponible en: <http://dx.doi.org/10.1159/000522507>
3. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

### AE romero cineol

1. Borges RS, Ortiz BLS, Pereira ACM, Keita H, Carvalho JCT. Rosmarinus officinalis essential oil: A review of its phytochemistry, anti-inflammatory activity, and mechanisms of action involved. J Ethnopharmacol [Internet]. 2019;229:29-45. Disponible en: <http://dx.doi.org/10.1016/j.jep.2018.09.038>
2. Moss M, Cook J, Wesnes K, Duckett P. Aromas of rosemary and lavender essential oils differentially affect cognition and mood in healthy adults. Int J Neurosci [Internet]. 2003;113(1):15-38. Disponible en: <http://dx.doi.org/10.1080/00207450390161903>
3. Nasiri A, Boroomand MM. The effect of rosemary essential oil inhalation on sleepiness and alertness of shift-working nurses: A randomized, controlled field trial. Complement Ther Clin Pract [Internet]. 2021;43(101326):101326. Disponible en: <http://dx.doi.org/10.1016/j.ctcp.2021.101326>
4. Goren A, Naccarato T. Minoxidil in the treatment of androgenetic alopecia. Dermatol Ther [Internet]. 2018;31(5):e12686. Disponible en: <http://dx.doi.org/10.1111/dth.12686>

### AE de saro (mandravasarotra)

1. Cinnamosma fragrans Baillon) essential oil: Application in Health and Medicine.
  2. Mestres L. Los Mejores Aceites Esenciales Para Los Catarros Infantiles [Internet]. AromaTraining. 2021 [citado 29 de junio de 2023]. Disponible en: <https://aromatraining.com/aceites-esenciales-para-los-catarros-infantiles/>
  3. Juergens LJ, Worth H, Juergens UR. New perspectives for mucolytic, anti-inflammatory and adjunctive therapy with 1,8-cineole in COPD and asthma: Review on the new therapeutic approach. Adv Ther [Internet]. 2020;37(5):1737-53. Disponible en: <http://dx.doi.org/10.1007/s12325-020-01279-0>
  4. Randrianarivelo R, Sarter S, Odoux E, Brat P, Lebrun M, Romestand B, et al. Composition and antimicrobial activity of essential oils of Cinnamosma fragrans. Food Chem [Internet]. 2009;114(2):680-4. Disponible en: <http://dx.doi.org/10.1016/j.foodchem.2008.10.007>
  5. Kim KY, Seo HJ, Min SS, Park M, Seol GH. The effect of 1,8-cineole inhalation on preoperative anxiety: a randomized clinical trial. Evid Based Complement Alternat Med [Internet]. 2014;2014:820126. Disponible en: <http://dx.doi.org/10.1155/2014/820126>
- AE de salvia esclarea
1. Han S-H, Hur M-H, Buckle J, Choi J, Lee MS. Effect of aromatherapy on symptoms of dysmenorrhea in college students: A randomized placebo-controlled clinical trial. J Altern Complement Med [Internet]. 2006;12(6):535-41. Disponible en: <http://dx.doi.org/10.1089/acm.2006.12.535>
  2. Ou M-C, Hsu T-F, Lai AC, Lin Y-T, Lin C-C. Pain relief assessment by aromatic essential oil massage on outpatients with primary dysmenorrhea: a randomized, double-blind clinical trial: PD pain relief by aromatic oil massage. J Obstet Gynaecol Res [Internet]. 2012;38(5):817-22. Disponible en: <http://dx.doi.org/10.1111/j.1447-0756.2011.01802.x>
  3. Hur M-H, Lee MS, Seong K-Y, Lee M-K. Aromatherapy massage on the abdomen for alleviating menstrual pain in high school girls: a preliminary controlled clinical study. Evid Based Complement Alternat Med [Internet]. 2012;2012:187163. Disponible en: <http://dx.doi.org/10.1155/2012/187163>
  4. Transdermal Absorption of Sclareol, an Active Ingredient in Clary Sage Oil: A Complementary and Alternative Medicine for Menopausal Symptoms.

5. Mitic M, Zrnić A, Wanner J, Stappen I. Clary sage essential oil and its effect on human mood and pulse rate: An in vivo pilot study. *Planta Med* [Internet]. 2020;86(15):1125-32. Disponible en: <http://dx.doi.org/10.1055/a-1211-6325>

6. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.  
FUERA DE LA BILBIO DE FD, porque no corresponde a acción:

7. Kačániová M, Vukovic NL, Čmiková N, Galovičová L, Schwarzová M, Šimora V, et al. *Salvia sclarea* essential oil chemical composition and biological activities. *Int J Mol Sci* [Internet]. 2023;24(6). Disponible en: <http://dx.doi.org/10.3390/ijms24065179>

8. Zhou J, Xie X, Tang H, Peng C, Peng F. The bioactivities of sclareol: A mini review. *Front Pharmacol* [Internet]. 2022;13:1014105. Disponible en: <http://dx.doi.org/10.3389/fphar.2022.1014105>

### AE de siempreviva

1. Sala A, Recio M, Giner RM, Máñez S, Tournier H, Schinella G, et al. Anti-inflammatory and antioxidant properties of *Helichrysum italicum*. *J Pharm Pharmacol* [Internet]. 2002;54(3):365-71. Disponible en: <http://dx.doi.org/10.1211/0022357021778600>

2. E. Guinoiseau<sup>1</sup>, V. Lorenzi<sup>1,\*</sup>, A. Luciani<sup>1</sup>, A. Muselli<sup>2</sup>, J. Costa<sup>2</sup>, J. Casanova<sup>3</sup> and L. Berti. Biological properties and resistance reversal effect of *Helichrysum italicum*. A. Méndez-Vilas; 2013.

3. Voinchet V, Giraud-Robert A-M. Utilisation de l'huile essentielle d'hélichryse italienne et de l'huile végétale de rose musquée après intervention de chirurgie plastique réparatrice et esthétique. *Phytothérapie* [Internet]. 2007;5(2):67-72. Disponible en: <http://dx.doi.org/10.1007/s10298-007-0213-y>

4. Fraternali D, Flamini G, Ascrizzi R. In Vitro Anticollagenase and Antielastase Activities of Essential Oil of *Helichrysum italicum* subsp. *italicum* (Roth) G. Don. *J Med Food* [Internet]. 2019;22(10):1041-6. Disponible en: <http://dx.doi.org/10.1089/jmf.2019.0054>

### AE de tomillo tuyanol

1. Vassiliou E, Awoloye O, Davis A, Mishra S. Anti-inflammatory and antimicrobial properties of thyme oil and its main constituents. *Int J Mol Sci* [Internet]. 2023;24(8). Disponible en: <http://dx.doi.org/10.3390/ijms24086936>

2. Horváth G, Horváth A, Reichert G, Böszörményi A, Sipos K, Pandur E. Three chemotypes of thyme (*Thymus vulgaris* L.) essential oil and their main compounds affect differently the IL-6 and TNF $\alpha$  cytokine secretions of BV-2 microglia by modulating the NF- $\kappa$ B and C/EBP $\beta$  signalling pathways. *BMC Complement Med Ther* [Internet]. 2021;21(1):148. Disponible en: <http://dx.doi.org/10.1186/s12906-021-03319-w>

3. European Union herbal monograph on *Thymus vulgaris* L. En: *Thymus zygis* L, *aetheroleum*.

4. Galovičová L, Borotová P, Valková V, Vukovic NL, Vukic M, Štefániková J, et al. *Thymus vulgaris* essential oil and its biological activity. *Plants* [Internet]. 2021;10(9):1959. Disponible en: <http://dx.doi.org/10.3390/plants10091959>

5. Faucon M. *Traité d'aromathérapie scientifique et médicale: Les huiles essentielles, fondements et aides à la prescription*. 2019.

### AE verbena exótica

1. Ko Y-J, Jung M-S, Park K-S. Effects of aroma inhalation method on test anxiety, stress response and serum cortisol in nursing students. *J Korean Acad Fundam Nurs* [Internet]. 2013;20(4):410-8. Disponible en: <http://dx.doi.org/10.7739/jkafn.2013.20.4.410>
2. Kamle M, Mahato DK, Lee KE, Bajpai VK, Gajurel PR, Gu KS, et al. Ethnopharmacological Properties and Medicinal Uses of *Litsea cubeba*. *Plants* [Internet]. 2019;8(6):150. Disponible en: <http://dx.doi.org/10.3390/plants8060150>
3. Nguyen HV, Caruso D, Lebrun M, Nguyen NT, Trinh TT, Meile J-C, et al. Antibacterial activity of *Litsea cubeba* (Lauraceae, May Chang) and its effects on the biological response of common carp *Cyprinus carpio* challenged with *Aeromonas hydrophila*. *J Appl Microbiol* [Internet]. 2016;121(2):341-51. Disponible en: <http://dx.doi.org/10.1111/jam.13160>

### AE ylang-ylang

1. Sriboonlert J, Munkong W, Rintawut S, Paladkhua S, Suwongsa R, Kirisattayakul W. *Cananga odorata* aromatherapy reduces anxiety in unexperienced patients hospitalized for interventional neuroradiology procedures: A randomized control trial. *J Evid Based Integr Med* [Internet]. 2023;28:2515690X221150527. Disponible en: <http://dx.doi.org/10.1177/2515690X221150527>
2. Tan LTH, Lee LH, Yin WF, Chan CK, Abdul Kadir H, Chan KG, et al. Traditional Uses, Phytochemistry, and Bioactivities of *Cananga odorata* (Ylang-Ylang). *Evid Based Complement Alternat Med* [Internet]. 2015;2015:896314. Disponible en: <http://dx.doi.org/10.1155/2015/896314>
3. McDonnell B, Newcomb P. Trial of essential oils to improve sleep for patients in cardiac rehabilitation. *J Altern Complement Med* [Internet]. 2019;25(12):1193-9. Disponible en: <http://dx.doi.org/10.1089/acm.2019.0222>
4. Hongratanaworakit T, Buchbauer G. Evaluation of the harmonizing effect of ylang-ylang oil on humans after inhalation. *Planta Med* [Internet]. 2004;70(7):632-6. Disponible en: <http://dx.doi.org/10.1055/s-2004-827186>
5. Kim I-H, Kim C, Seong K, Hur M-H, Lim HM, Lee MS. Essential oil inhalation on blood pressure and salivary cortisol levels in prehypertensive and hypertensive subjects. *Evid Based Complement Alternat Med* [Internet]. 2012;2012:984203. Disponible en: <http://dx.doi.org/10.1155/2012/984203>
6. Jung D-J, Cha J-Y, Kim S-E, Ko I-G, Jee Y-S. Effects of Ylang-Ylang aroma on blood pressure and heart rate in healthy men. *J Exerc Rehabil* [Internet]. 2013;9(2):250-5. Disponible en: <http://dx.doi.org/10.12965/jer.130007>
7. Leelapornpisid P, Wickett RR, Chansakaow S, Wongwattananukul N. Potential of native Thai aromatic plant extracts in antiwrinkle body creams. *J Cosmet Sci*. 2015;66(4):219-31.
8. Gnatta JR, Piason PP, Lopes C de LBC, Rogenski NMB, Silva MJP da. Aromatherapy with ylang ylang for anxiety and self-esteem: a pilot study. *Rev Esc Enferm USP* [Internet].